

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Kunihiro TANAKA

Group Art Unit: Unknown

Application No.: New U.S. Patent Application

Examiner: Unknown

Filed: January 25, 2002

Attorney Dkt. No.: 100341-000019

For: TRANSMITTER FOR BEING ATTACHED TO MICROPHONE

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

January 25, 2002

Sir:

Prior to initial examination of the application, please amend the above-identified application as follows:

IN THE CLAIMS:

Please amend claims 6 and 8 as follows:

6. (Amended) A transmitter according to claim 1, further comprising a microphone jack which is connected with further microphone different from said microphone.

8. (Amended) A transmitter according to claim 1, wherein said second jack of said microphone includes a third jack terminal to withdraw a first audio signal and a fourth jack terminal to withdraw a second audio signal, and said second connecting plug includes a third plug terminal and a fourth plug terminal connected to said third jack


terminal and said fourth jack terminal, respectively, further comprising a mixing circuit which mixes the first audio signal from said third plug terminal and the second audio signal from said fourth plug terminal with each other to be applied to said modulation means.

REMARKS

Claims 1-8 are pending in this application. By this Amendment, claims 6 and 8 are amended to delete multiple dependency. No new matter is contained in the amendments.

Please charge any fee deficiency or credit any overpayment to Deposit Account No. 01-2300.

Respectfully submitted,



Charles M. Marmelstein
Registration No. 25,895

Customer No. 004372
AREN'T FOX KINTNER PLOTKIN & KAHN, PLLC
1050 Connecticut Avenue, N.W.,
Suite 400
Washington, D.C. 20036-5339
Tel: (202) 857-6000
Fax: (202) 638-4810

Marked up Claims

arranged to allow an emission to be viewed from an external.

6. A transmitter according to ~~any one of claims 1 to 5~~ further comprising a microphone jack which is connected with further microphone different from said microphone.

10 8. A transmitter according to ~~any one of claims 1 to 7~~ wherein said second jack of said microphone includes a third jack terminal to withdraw a first audio signal and a fourth jack terminal to withdraw a second audio signal, and said second connecting plug includes a third plug terminal and a fourth plug terminal connected to said third jack terminal and said fourth jack terminal, respectively,

15 further comprising a mixing circuit which mixes the first audio signal from said third plug terminal and the second audio signal from said fourth plug terminal with each other to be applied to said modulation means.